J. Lipid Research, October, 1961
Volume 2, Number 4

Author Index

Vol. 2, Nos. 1-4

A

Akahori, Yukio. See *Radin and Akahori,* 335

Antonis, Arnold. See *Mendelsohn and Antonis,* 45

B

Barrionuevo, M. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Begemann, P. Haverkamp. See *Schogt, Begemann, and Recourt,* 142

Bergquist, L. M. See *Searcy, Bergquist, Gough, and Korotzer,* 193

Blank, M. L. See *Privett and Blank,* 37

Blankenhorn, David H., George Rouser and **Trucilla J. Weimer.** A method for the estimation of blood glycerides employing florisil, 281

Borgström, Bengt, and **Thomas Olivecrona.** The metabolism of palmitic acid-1-C^{14} in functionally hepatectomized rats, 263

Bowser, E. N., W. J. Henderson and **H. J. Zimmerman.** Influence of estradiol on apparent phosphatidyl choline synthesis in rats, 278

Boyle, Edwin, Jonolyn Wilson and **R. V. Moore.** A modified preparative ultracentrifuge technique for separating human serum lipoproteins, 191

Bragdon, J. H., and **A. Karmen.** Effect of ingested fat on fatty acid composition of serum lipoproteins, 400

Brodie, B. B. See *Butler, Maling, Horning, and Brodie,* 95

Brown, J. B. See *Horrocks, Cornwell, and Brown,* 92

Butler, W. M., Jr., H. M. Maling, M. G. Horning, and **B. B. Brodie.** The direct determination of liver triglycerides, 95

C

Cardon, P. V., Jr. See *Mueller and Cardon,* 83

Carroll, K. K. Separation of lipid classes by chromatography on florisil, 135

Carter, H. E., K. Ohno, S. Nojima, C. L. Tipton, and **N. Z. Stanacev.** Wheat flour lipids: II. Isolation and characterization of glycolipids of wheat flour and other plant sources, 215

———, **R. A. Hendry** and **N. Z. Stanacev.** Wheat flour lipids: III. Structure of the mono- and digalactosylglycerol lipids, 223

———, **J. A. Rothfus** and **Roy Gigg.** Biochemistry of the sphingolipids: XII. Conversion of cerebrosides to ceramides and sphingosine; structure of Gaucher cerebroside, 228

Century, B. See *Witting, Harvey, Century, and Horwitt,* 412

Chorney, W. See *Dutton, Jones, Scholfield, Chorney, and Scully,* 63

Christophe, J., and **G. Popják.** Studies on the biosynthesis of cholesterol: XIV. The origin of prenoic acids from allyl pyrophosphates in liver enzyme systems, 244

Cornwell, David G., and **Fred A. Kruger.** Molecular complexes in the isolation and characterization of plasma lipoproteins, 110

———. See *Horrocks, Cornwell, and Brown,* 92

D

Davis, Raymond V. See *Minard and Davis,* 369

Debons, Albert F., and **Irving L. Schwartz.** Dependence of the lipolytic action of epinephrine *in vitro* upon thyroid hormone, 86

Dole, Vincent P., and **Martin A. Rizack.** On the turnover of long-chain fatty acids in plasma, 90

Dreisbach, L. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Dutton, H. J., E. P. Jones, C. R. Scholfield, W. Chorney, and **N. J. Scully.** Countercurrent distribution of soybean fatty acid methyl esters biosynthetically labeled with H^3 and C^{14}, 63

E

Eaton, Philip, and **Daniel Steinberg.** Effects of medium fatty acid concentration, epinephrine, and glucose on palmitate-1-C^{14} oxidation and incorporation into neutral lipids by skeletal muscle *in vitro,* 376

Eder, Howard A. See *Myant and Eder,* 363

Elwood, J. C., and **J. T. Van Bruggen.** Cholesterol and mevalonate metabolism: a time course study *in vivo,* 344

Engelberg, H. Absence of lipemia clearing factor lipase in human adipose tissue, 169

F

Fontell, Krister. See *Morris, Holman, and Fontell,* 68

G

Gaby, W. L. See *Silberman and Gaby,* 172

Gigg, Roy. See *Carter, Rothfus, and Gigg,* 228

Godfrey, Paul. See *Snyder and Godfrey,* 195

Goldberg, Irving H. The sulfolipids, 103

Goldfien, Alan. See *Havel and Goldfien,* 389

Goldman, Lawrence. See *Saifer and Goldman,* 268

Gough, G. See *Searcy, Bergquist, Gough, and Korotzer,* 193

H-I

Hall, Michael O., and **Joseph F. Nyc.** The isolation and characterization of phospholipids containing mono- and dimethylethanolamine from *neurospora crassa,* 321

Harvey, C. C. See *Witting, Harvey, Century, and Horwitt,* 412

Havel, Richard J., and **Alan Goldfien.** The role of the liver and of extrahepatic tissues in the transport and metabolism of fatty acids and triglycerides in the dog, 389

———. See *Porte and Havel,* 357

Heaton, F. W., and **N. Uri.** The aerobic oxidation of unsaturated fatty acids and their esters: cobalt stearate-catalyzed oxidation of linoleic acid, 152

Hellig, Hermione, and **G. Popják.** Studies on the biosynthesis of cholesterol: XIII. Phosphomevalonic kinase from liver, 235

Henderson, W. J. See *Bowser, Henderson, and Zimmerman,* 278

Hendry, R. A. See *Carter, Hendry, and Stanacev,* 223

Hohenleitner, Frank J. See *Spitzer and Hohenleitner,* 396

Holman, Ralph T. See *Morris, Holman, and Fontell,* 68

———. See *Morris and Holman,* 77

Horning, M. G. See *Butler, Maling, Horning, and Brodie,* 95

Horrocks, Lloyd A., David G. Cornwell and **J. B. Brown.** Quantitative gas-liquid chromatography of fatty acid methyl esters with the thermal conductivity detector, 92

Horwitt, M. K. See *Witting, Harvey, Century, and Horwitt,* 412

J

Jones, E. P. See *Dutton, Jones, Scholfield, Chorney, and Scully,* 63

K

Kabara, Jon J., and **James T. McLaughlin.** A micro dibromide procedure for purifying radioactive cholesterol, 283

Karmen, A. See *Bragdon and Karmen,* 400

Kern, Fred, Jr., Laura Steinmann and **Bob B. Sanders.** Measurement of lipoprotein lipase activity in post heparin plasma: description of technique, 51

Kleschick, A. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Korotzer, J. See *Searcy, Bergquist, Gough, and Korotzer,* 193

Kostyk, I. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Koval, George J. Cholesterol measurement in normal and lipemic sera: elimination of an extraneous chromogen, 419

Kruger, Fred A. See *Cornwell and Kruger,* 110

L

Lauryssens, Monique, Roger Verbeke and **Georges Peeters.** Metabolism of stearate-1-C^{14} in the isolated cow's udder, 383

J. Lipid Research, October, 1961
Volume 2, Number 4

Author Index

Vol. 2, Nos. 1-4

A

Akahori, Yukio. See *Radin and Akahori,* 335

Antonis, Arnold. See *Mendelsohn and Antonis,* 45

B

Barrionuevo, M. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Begemann, P. Haverkamp. See *Schogt, Begemann, and Recourt,* 142

Bergquist, L. M. See *Searcy, Bergquist, Gough, and Korotzer,* 193

Blank, M. L. See *Privett and Blank,* 37

Blankenhorn, David H., George Rouser and **Trucilla J. Weimer.** A method for the estimation of blood glycerides employing florisil, 281

Borgström, Bengt, and **Thomas Olivecrona.** The metabolism of palmitic acid-1-C^{14} in functionally hepatectomized rats, 263

Bowser, E. N., W. J. Henderson and **H. J. Zimmerman.** Influence of estradiol on apparent phosphatidyl choline synthesis in rats, 278

Boyle, Edwin, Jonolyn Wilson and **R. V. Moore.** A modified preparative ultracentrifuge technique for separating human serum lipoproteins, 191

Bragdon, J. H., and **A. Karmen.** Effect of ingested fat on fatty acid composition of serum lipoproteins, 400

Brodie, B. B. See *Butler, Maling, Horning, and Brodie,* 95

Brown, J. B. See *Horrocks, Cornwell, and Brown,* 92

Butler, W. M., Jr., H. M. Maling, M. G. Horning, and **B. B. Brodie.** The direct determination of liver triglycerides, 95

C

Cardon, P. V., Jr. See *Mueller and Cardon,* 83

Carroll, K. K. Separation of lipid classes by chromatography on florisil, 135

Carter, H. E., K. Ohno, S. Nojima, C. L. Tipton, and **N. Z. Stanacev.** Wheat flour lipids: II. Isolation and characterization of glycolipids of wheat flour and other plant sources, 215

———, **R. A. Hendry** and **N. Z. Stanacev.** Wheat flour lipids: III. Structure of the mono- and digalactosylglycerol lipids, 223

———, **J. A. Rothfus** and **Roy Gigg.** Biochemistry of the sphingolipids: XII. Conversion of cerebrosides to ceramides and sphingosine; structure of Gaucher cerebroside, 228

Century, B. See *Witting, Harvey, Century, and Horwitt,* 412

Chorney, W. See *Dutton, Jones, Scholfield, Chorney, and Scully,* 63

Christophe, J., and **G. Popják.** Studies on the biosynthesis of cholesterol: XIV. The origin of prenoic acids from allyl pyrophosphates in liver enzyme systems, 244

Cornwell, David G., and **Fred A. Kruger.** Molecular complexes in the isolation and characterization of plasma lipoproteins, 110

———. See *Horrocks, Cornwell, and Brown,* 92

D

Davis, Raymond V. See *Minard and Davis,* 369

Debons, Albert F., and **Irving L. Schwartz.** Dependence of the lipolytic action of epinephrine *in vitro* upon thyroid hormone, 86

Dole, Vincent P., and **Martin A. Rizack.** On the turnover of long-chain fatty acids in plasma, 90

Dreisbach, L. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Dutton, H. J., E. P. Jones, C. R. Scholfield, W. Chorney, and **N. J. Scully.** Countercurrent distribution of soybean fatty acid methyl esters biosynthetically labeled with H^3 and C^{14}, 63

E

Eaton, Philip, and **Daniel Steinberg.** Effects of medium fatty acid concentration, epinephrine, and glucose on palmitate-1-C^{14} oxidation and incorporation into neutral lipids by skeletal muscle *in vitro,* 376

Eder, Howard A. See *Myant and Eder,* 363

Elwood, J. C., and **J. T. Van Bruggen.** Cholesterol and mevalonate metabolism: a time course study *in vivo,* 344

Engelberg, H. Absence of lipemia clearing factor lipase in human adipose tissue, 169

F

Fontell, Krister. See *Morris, Holman, and Fontell,* 68

G

Gaby, W. L. See *Silberman and Gaby,* 172

Gigg, Roy. See *Carter, Rothfus, and Gigg,* 228

Godfrey, Paul. See *Snyder and Godfrey,* 195

Goldberg, Irving H. The sulfolipids, 103

Goldfien, Alan. See *Havel and Goldfien,* 389

Goldman, Lawrence. See *Saifer and Goldman,* 268

Gough, G. See *Searcy, Bergquist, Gough, and Korotzer,* 193

H-I

Hall, Michael O., and **Joseph F. Nyc.** The isolation and characterization of phospholipids containing mono- and dimethylethanolamine from *neurospora crassa,* 321

Harvey, C. C. See *Witting, Harvey, Century, and Horwitt,* 412

Havel, Richard J., and **Alan Goldfien.** The role of the liver and of extrahepatic tissues in the transport and metabolism of fatty acids and triglycerides in the dog, 389

———. See *Porte and Havel,* 357

Heaton, F. W., and **N. Uri.** The aerobic oxidation of unsaturated fatty acids and their esters: cobalt stearate-catalyzed oxidation of linoleic acid, 152

Hellig, Hermione, and **G. Popják.** Studies on the biosynthesis of cholesterol: XIII. Phosphomevalonic kinase from liver, 235

Henderson, W. J. See *Bowser, Henderson, and Zimmerman,* 278

Hendry, R. A. See *Carter, Hendry, and Stanacev,* 223

Hohenleitner, Frank J. See *Spitzer and Hohenleitner,* 396

Holman, Ralph T. See *Morris, Holman, and Fontell,* 68

———. See *Morris and Holman,* 77

Horning, M. G. See *Butler, Maling, Horning, and Brodie,* 95

Horrocks, Lloyd A., David G. Cornwell and **J. B. Brown.** Quantitative gas-liquid chromatography of fatty acid methyl esters with the thermal conductivity detector, 92

Horwitt, M. K. See *Witting, Harvey, Century, and Horwitt,* 412

J

Jones, E. P. See *Dutton, Jones, Scholfield, Chorney, and Scully,* 63

K

Kabara, Jon J., and **James T. McLaughlin.** A micro dibromide procedure for purifying radioactive cholesterol, 283

Karmen, A. See *Bragdon and Karmen,* 400

Kern, Fred, Jr., Laura Steinmann and **Bob B. Sanders.** Measurement of lipoprotein lipase activity in post heparin plasma: description of technique, 51

Kleschick, A. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Korotzer, J. See *Searcy, Bergquist, Gough, and Korotzer,* 193

Kostyk, I. See *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

Koval, George J. Cholesterol measurement in normal and lipemic sera: elimination of an extraneous chromogen, 419

Kruger, Fred A. See *Cornwell and Kruger,* 110

L

Lauryssens, Monique, Roger Verbeke and **Georges Peeters.** Metabolism of stearate-1-C^{14} in the isolated cow's udder, 383

Lindgren, Frank T. See *Nichols, Rehnborg, and Lindgren,* 203
Liu, Ching-Tong. See *Newman, Liu, and Zilversmit,* 403

M

McKibbin, J. M., Stanley Meltzer and **Mary Jane Spiro.** The nitrogenous constituents of the lipids of several dog tissues, 328
McLaughlin, James T. See *Kabara and McLaughlin,* 283
Maling, H. M. See *Butler, Maling, Horning, and Brodie,* 95
Marinetti, G. V., K. Temple and **Elmer Stotz.** The *in vivo* effect of digitoxin on rat heart phosphatides, 188
Masoro, E. J., and **Edith Porter.** Propionic acid as a precursor in the biosynthesis of animal fatty acids, 177
Mattson, F. H., and **R. A. Volpenhein.** The use of pancreatic lipase for determining the distribution of fatty acids in partial and complete glycerides, 58
Meloni, C. R. See *Sjövall, Meloni, and Turner,* 317
Meltzer, Stanley. See *McKibbin, Meltzer, and Spiro,* 328
Mendelsohn, Dennis, and **Arnold Antonis.** A fluorimetric micro glycerol method and its application to the determination of serum triglycerides, 45
Minard, Frederick N., and **Raymond V. Davis.** The *in vitro* stimulation of lipogenesis and carbohydrate metabolism in liver by potassium ion and diphenylmethylacetyl-N-methylpiperazine, 369
Moller, Mary L., and **T. T. Tchen.** Inhibition of cholesterol biogenesis by arsenite: preparation of labeled lanosterol, 342
Moore, R. V. See *Boyle, Wilson, and Moore,* 191
Morris, Lindsay J., Ralph T. Holman and **Krister Fontell.** Naturally occurring epoxy acids: I. Detection and evaluation of epoxy fatty acids by paper, thin-layer, and gas-liquid chromatography, 68
———, and ———. Naturally occurring epoxy acids: II. Detection and measurement of long-chain epoxy acids by near infrared spectrophotometry, 77
Mueller, P. S., and **P. V. Cardon, Jr.** Plasma free fatty acids in fasting vitamin C-deprived guinea pigs, 83
Myant, N. B., and **Howard A. Eder.** The effect of biliary drainage upon the synthesis of cholesterol in the liver, 363

N

Newman, H. A. I., Ching-Tong Liu and **D. B. Zilversmit.** Evidence for the physiological occurrence of lysolecithin in rat plasma, 403
Nichols, Alex V., Carl S. Rehnborg and **Frank T. Lindgren.** Gas chromatographic analysis of fatty acids from dialyzed lipoproteins, 203
Nojima, S. See *Carter, Ohno, Nojima, Tipton, and Stanacev,* 215
Nyc, Joseph F. See *Hall and Nyc,* 321

O

Ohno, K. See *Carter, Ohno, Nojima, Tipton, and Stanacev,* 215
Olivecrona, Thomas. See *Borgström and Olivecrona,* 263

P-Q

Page, Irvine H. See *Scanu and Page,* 161
Peeters, Georges. See *Lauryssens, Verbeke, and Peeters,* 383
Popják, G. See *Hellig and Popják,* 235
———. See *Christophe and Popják,* 244
Porte, Daniel, Jr., and **Richard J. Havel.** The use of cholesterol-4-C^{14}-labeled lipoproteins as a tracer for plasma cholesterol in the dog, 357
Porter, Edith. See *Masoro and Porter,* 177
Privett, O. S., and M. L. Blank. A new method for the analysis of component mono-, di-, and triglycerides, 37

R

Radin, Norman S., and **Yukio Akahori.** Fatty acids of human brain cerebrosides, 335
Rapport, Maurice M. Structure and specificity of the lipid haptens of animal cells, 25
———, **Vladimir P. Skipski** and **Charles C. Sweeley.** The lipid residues in cytolipin H, 148
Recourt, J. H. See *Schogt, Begemann, and Recourt,* 142
Rehnborg, Carl S. See *Nichols, Rehnborg, and Lindgren,* 203
Rizack, Martin A. See *Dole and Rizack,* 90
Rothfus, J. A. See *Carter, Rothfus, and Gigg,* 228
Rouser, George. See *Blankenhorn, Rouser, and Weimer,* 281

S

Saifer, Abraham, and **Lawrence Goldman.** The free fatty acids bound to human serum albumin, 268
Sakagami, Toshio, and **D. B. Zilversmit.** Separation of dog serum lipoproteins by ultracentrifugation, dextran sulfate precipitation, and paper electrophoresis, 271
Sanders, Bob B. See *Kern, Steinmann, and Sanders,* 51
Scanu, Angelo, and **Irvine H. Page.** Recombination with lipids of the lipid-free protein from canine serum (d 1.063–1.21, α_1) lipoprotein, 161
Schiffmann, Elliott. See *Weiss, Schiffmann, and Titus,* 258
Schogt, J. C. M., P. Haverkamp Begemann and **J. H. Recourt.** Composition of aldehydes derived from some bovine lipids, 142
Scholfield, C. R. See *Dutton, Jones, Scholfield, Chorney, and Scully,* 63
Schwartz, Irving L. See *Debons and Schwartz,* 86
Schwarz, H. P., L. Dreisbach, M. Barrionuevo, A. Kleschick, and **I. Kostyk.** Chromatography of sphingolipids of human brain, 208
Scully, N. J. See *Dutton, Jones, Scholfield, Chorney, and Scully,* 63
Searcy, R. L., L. M. Bergquist, G. Gough, and **J. Korotzer.** Estimations of serum cholesterol from photoporphyrin-stained electrophoretic strips, 193
Silberman, R., and **W. L. Gaby.** The uptake of amino acids by lipids of *pseudomonas aeruginosa,* 172
Sjövall, J., C. R. Meloni and **D. A. Turner.** A study of the separation of substituted cholanic acids by gas-liquid chromatography, 317
Skipski, Vladimir P. See *Rapport, Skipski, and Sweeley,* 148
Snyder, Fred, and **Paul Godfrey.** Collecting $C^{14}O_2$ in a Warburg flask for subsequent scintillation counting, 195
Spiro, Mary Jane. See *McKibbin, Meltzer, and Spiro,* 328
Spitzer, John J., and **Frank J. Hohenleitner.** Release of free fatty acids by adipose tissue *in vivo,* 396
Stanacev, N. Z. See *Carter, Ohno, Nojima, Tipton, and Stanacev,* 215
———. See *Carter, Hendry, and Stanacev,* 223
Steinberg, Daniel. See *Eaton and Steinberg,* 376
Steinmann, Laura. See *Kern, Steinmann, and Sanders,* 51
Stotz, Elmer. See *Marinetti, Temple, and Stotz,* 188
Sweeley, Charles C. See *Rapport, Skipski, and Sweeley,* 148

T

Tchen, T. T. See *Moller and Tchen,* 342
Temple, K. See *Marinetti, Temple, and Stotz,* 188
Tietz, Alisa. Fat synthesis in cell-free preparations of the locust fat-body, 182
Tipton, C. L. *See Carter, Ohno, Nojima, Tipton, and Stanacev,* 215
Titus, Elwood. See *Weiss, Schiffmann, and Titus,* 258
Turner, D. A. See *Sjövall, Meloni, and Turner,* 317

U

Uri, N. See *Heaton and Uri,* 152

V

Van Bruggen, J. T. See *Elwood and Van Bruggen,* 344
Vaughan, Martha. The metabolism of adipose tissue *in vitro,* 293
Verbeke, Roger. See *Lauryssens, Verbeke, and Peeters,* 383
Volpenhein, R. A. See *Mattson and Volpenhein,* 58

W-X-Y

Wakil, Salih J. Mechanism of fatty acid synthesis, 1
Weimer, Trucilla J. See *Blankenhorn, Rouser, and Weimer,* 281
Weiss, Herbert, Elliott Schiffmann and **Elwood Titus.** Effect of mevalonate analogues upon cholesterol biosynthesis, 258
Wilson, Jean D. The effect of dietary fatty acids on coprostanol excretion by the rat, 350
Wilson, Jonolyn. See *Boyle, Wilson, and Moore,* 191
Witting, L. A., C. C. Harvey, B. Century, and **M. K. Horwitt.** Dietary alterations of fatty acids of erythrocytes and mitochondria of brain and liver, 412

Z

Zilversmit, D. B. See *Sakagami and Zilversmit,* 271
———. See *Newman, Liu, and Zilversmit,* 403
Zimmerman, H. J. See *Bowser, Henderson, and Zimmerman,* 278

J. Lipid Research, October, 1961
Volume 2, Number 4

Subject Index

Vol. 2, Nos. 1-4

(NM) = Notes on Methodology (Rev) = Review

A

Adipose tissue: Free fatty acid release; epinephrine, thyroid hormone, *Debons and Schwartz,* 86
— — — — *in vivo, Spitzer and Hohenleitner,* 396
Human; absence of lipemia clearing factor lipase, *Engelberg,* 169
Metabolism *in vitro* (Rev), *Vaughan,* 293
Albumin: Human serum; composition of bound free fatty acids, *Saifer and Goldman,* 268
Aldehyde(s): Bovine lipid, composition, *Schogt, Begemann, and Recourt,* 142
Allyl pyrophosphate(s): Prenoic acids from in liver enzyme systems, *Christophe and Popják,* 244
Amino acid(s): Uptake by lipids of *Pseudomonas aeruginosa, Silberman and Gaby,* 172
Arsenite: Inhibition of cholesterol biogenesis; preparation of labeled lanosterol, *Moller and Tchen,* 342

B

Bile acid(s): Excretion; effect on cholesterol biosynthesis in liver, *Myant and Eder,* 363
Separation by gas-liquid chromatography, *Sjövall, Meloni, and Turner,* 317
Bile: Drainage from fistula, effect on cholesterol biosynthesis in liver, *Myant and Eder,* 363
Brain: Human; chromatography of sphingolipids, *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208

C

Carbohydrate: Metabolism; *in vitro* stimulation in liver by potassium and diphenylmethylacetyl-N-methylpiperazine, *Minard and Davis,* 369
Carbon dioxide: Collection in Warburg flask for scintillation counting (NM), *Snyder and Godfrey,* 195
Ceramide(s): Conversion of cerebrosides; structure of Gaucher cerebroside, *Carter, Rothfus, and Gigg,* 228
Cerebroside(s): Conversion to ceramides and sphingosine; structure of Gaucher cerebroside, *Carter, Rothfus, and Gigg,* 228
Human brain, fatty acids, *Radin and Akahori,* 335
Chenodeoxycholic acid: Excretion, effect on biosynthesis of cholesterol in liver, *Myant and Eder,* 363
Cholanic acid(s): Separation by gas-liquid chromatography, *Sjövall, Meloni, and Turner,* 317
Cholesterol: Biosynthesis; arsenite inhibition, preparation of labeled lanosterol, *Moller and Tchen,* 342
—; liver slices, biliary drainage, effect, *Myant and Eder,* 363
—; mevalonate analogues, effect, *Weiss, Schiffmann, and Titus,* 258
—; —; time course study *in vivo, Elwood and Van Bruggen,* 344
—; phosphomevalonic kinase from liver, *Hellig and Popják,* 235
—; prenoic acids from allyl pyrophosphates, liver enzymes, *Christophe and Popják,* 244
Lipoproteins labeled *in vitro;* tracer for plasma cholesterol in dog, *Porte and Havel,* 357
Measurement in lipemic serum, elimination of extraneous chromogen (NM), *Koval,* 419
Micro dibromide procedure for purifying (NM), *Kabara and McLaughlin,* 283
Protoporphyrin-stained electrophoretic strips, estimation (NM), *Searcy, Bergquist, Gough, and Korotzer,* 193
Cholic acid: Excretion, effect on biosynthesis of cholesterol, *Myant and Eder,* 363
Chromatography: Florisil; separation of lipid classes, *Carroll,* 135
Gas-liquid; cholanic acids, *Sjövall, Meloni, and Turner,* 317
— —; epoxy fatty acids, *Morris, Holman, and Fontell,* 68
— —; fatty acid methyl esters, thermal conductivity detector (NM), *Horrocks, Cornwell, and Brown,* 92
Paper; epoxy fatty acids, *Morris, Holman, and Fontell,* 68
Silicic acid; sphingolipids of human brain, *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208
Thin-layer; epoxy fatty acids, *Morris, Holman, and Fontell,* 68
— —; mono-, di-, and tri-glycerides, *Privett and Blank,* 37
Clearing factor: Absence in human adipose tissue, *Engelberg,* 169
Coprostanol: Excretion; effect of dietary fatty acids in rats, *Wilson,* 350
Countercurrent distribution: Soybean fatty acid methyl esters, labeled with H^3 and C^{14}, *Dutton, Jones, Scholfield, Chorney, and Scully,* 63
Cytolipin H: Lipid residues, fatty acids, *Rapport, Skipski, and Sweeley,* 148

D

Dextran sulfate: Precipitation of dog serum lipoproteins, *Sakagami and Zilversmit,* 271
Dibromide: Cholesterol purification, micro procedure (NM), *Kabara and McLaughlin,* 283
Diet: Fatty acid composition; coprostanol excretion by rat, effect, *Wilson,* 350
— — —; erythrocyte, mitochondria of brain, liver, rat, effect, *Witting, Harvey, Century, and Horwitt,* 412
— — —; serum lipoproteins, effect, *Bragdon and Karmen,* 400
Digitoxin: Phosphatides rat heart, *in vitro* effect, *Marinetti, Temple, and Stotz,* 188
Diglyceride(s): Method for analysis, *Privett and Blank,* 37
Dimethylacrylic acid: Origin from allyl pyrophosphates in liver enzyme systems, *Christophe and Popják,* 244
Diphenylmethylacetyl - N - methylpiperazine: Stimulation of lipogenesis, carbohydrate metabolism, liver, *in vitro, Minard and Davis,* 369

E

Electrophoresis: Paper; separation of dog serum lipoproteins, *Sakagami and Zilversmit,* 271
Epinephrine: Dependence of lipolytic action *in vitro* on thyroid hormone, *Debons and Schwartz,* 86
Palmitate-1-C^{14} oxidation, incorporation into neutral lipids by skeletal muscle *in vitro,* effect, *Eaton and Steinberg,* 376
Epoxy acid(s): Infrared spectrophotometry, detection, *Morris and Holman,* 77
Paper, thin-layer, gas-liquid chromatography, detection, *Morris, Holman, and Fontell,* 68
Erythrocyte(s): Fatty acid composition, effect of alterations of dietary fatty acids, *Witting, Harvey, Century, and Horwitt,* 412
Estradiol: Influence on phosphatidyl choline synthesis in rats, *Bowser, Henderson, and Zimmerman,* 278
Ethanolamine: Mono- and dimethyl; phospholipids; isolated from *Neurospora crassa, Hall and Nyc,* 321

F

Farnesoic acid: Origin from allyl pyrophosphates in liver enzyme systems, *Christophe and Popják,* 244
Fatty acid(s): Alterations by dialysis of lipoproteins, gas chromatographic analysis, *Nichols, Rehnborg, and Lindgren,* 203
Biosynthesis; locust fat-body, *Tietz,* 182
—; mechanism (Rev), *Wakil,* 1
—; propionic acid as precursor, *Masoro and Porter,* 177

Cerebrosides, human brain, *Radin and Akahori,* 335
Cytolipin H, lipid residues, *Rapport, Skipski, and Sweeley,* 148
Dietary; composition of erythrocytes, mitochondria, brain, liver, rat, effect, *Witting, Harvey, Century, and Horwitt,* 412
—; coprostanol excretion by the rat, effect, *Wilson,* 350
Distribution in glycerides; use of pancreatic lipase, *Mattson and Volpenhein,* 58
Epoxy; detection by paper, thin-layer, gas-liquid chromatography, *Morris, Holman, and Fontell,* 68
—; detection by infrared spectrophotometry, *Morris and Holman,* 77
Free; adipose tissue release, epinephrine, thyroid hormone, *Debons and Schwartz,* 86
—; — — —, *in vivo, Spitzer and Hohenleitner,* 396
—; albumin-bound palmitic acid-1-C^{14}; metabolism in normal and hepatectomized rats, *Borgström and Olivecrona,* 263
—; composition of human serum albumin, *Saifer and Goldman,* 268
—; concentration in medium, epinephrine, glucose, palmitate-1-C^{14} oxidation, incorporation, into neutral fats by skeletal muscle *in vitro,* effects, *Eaton and Steinberg,* 376
—; plasma; turnover, *Dole and Rizack,* 90
—; —; vitamin C-deprived guinea pigs, *Mueller and Cardon,* 83
—; transport and metabolism; role of liver and extrahepatic tissues in dog, *Havel and Goldfien,* 389
Metabolism of stearate-1-C^{14} in isolated cow's udder, *Lauryssens, Verbeke, and Peeters,* 383
Methyl esters; gas-liquid chromatography with thermal conductivity detector (NM), *Horrocks, Cornwell, and Brown,* 92
— —, soybean; H^3- and C^{14}-labeled, countercurrent distribution, *Dutton, Jones, Scholfield, Chorney, and Scully,* 63
Serum lipoproteins, composition of ingested fat, effect, *Bragdon and Karmen,* 400
Unsaturated, esters; aerobic oxidation; cobalt stearate-catalyzed oxidation of linoleic acid, *Heaton and Uri,* 152
Florisil: Blood glycerides, estimation (NM), *Blankenhorn, Rouser, and Weimer,* 281
Chromatography; separation of lipid classes, *Carroll,* 135
Fluorometry: Estimation glycerol; determination of serum triglycerides, *Mendelsohn and Antonis,* 45

G

Galactosylglycerol: Mono- and di-; lipids of wheat flour, *Carter, Hendry, and Stanacev,* 223
Gaucher's disease: Cerebroside; structure, *Carter, Rothfus, and Gigg,* 228
Geranoic acid: Origin from allyl pyrophosphates in liver enzyme systems, *Christophe and Popják,* 244
Glucose: Palmitate-1-C^{14} oxidation and incorporation into neutral lipids by skeletal muscle *in vitro,* effect, *Eaton and Steinberg,* 376
Glyceride(s): Blood; estimation employing Florisil (NM), *Blankenhorn, Rouser, and Weimer,* 281
Partial and complete; use of pancreatic lipase for determining distribution of fatty acids, *Mattson and Volpenhein,* 58
Glycerol: Fluorometric method; application to determination of serum triglycerides, *Mendelsohn and Antonis,* 45
Glycolipid(s): Wheat flour, other plant sources; isolation and characterization, *Carter, Ohno, Nojima, Tipton, and Stanacev,* 215

H

Hapten(s): Lipid; in animal cells (Rev), *Rapport,* 25
Heparin: Injection; measurement of lipoprotein lipase in plasma, *Kern, Steinmann, and Sanders,* 51

I-K

Infrared: Spectrophotometry, detection of epoxy acids, *Morris and Holman,* 77

L

Lanosterol: Preparation; inhibition of cholesterol biogenesis by arsenite, *Moller and Tchen,* 342
Linoleic acid(s): Aerobic oxidation catalyzed by cobalt stearate, *Heaton and Uri,* 152
Liver: Role in transport and metabolism of fatty acids and triglycerides in dog, *Havel and Goldfien,* 389
Triglycerides; direct determination (NM), *Butler, Maling, Horning, and Brodie,* 95
Lipase: Lipemia clearing factor; absence in human adipose tissue, *Engelberg,* 169
Lipoprotein; measurement in post heparin plasma, *Kern, Steinmann, and Sanders,* 51
Pancreatic; use for determining distribution of fatty acids in partial and complete glycerides, *Mattson and Volpenhein,* 58
Lipid(s): Biosynthesis; *in vitro* stimulation in liver by potassium and diphenylmethylacetyl-N-methylpiperazine, *Minard and Davis,* 369
Haptens of animal cells (Rev), *Rapport,* 25
Lipoprotein(s): Dialysis on fatty acids, effect, gas chromatographic analysis, *Nichols, Rehnborg, and Lindgren,* 203
Labeled *in vitro* with cholesterol-4-C^{14}; tracer for plasma cholesterol in dog, *Porte and Havel,* 357
Plasma; molecular complexes in isolation and characterization (Rev), *Cornwell and Kruger,* 110
Serum; high density; lipid-free protein, recombination with lipids, *Scanu and Page,* 161
—; dog; separation by ultracentrifugation, dextran sulfate precipitation, and paper electrophoresis, *Sakagami and Zilversmit,* 271
—; human, preparative ultracentrifuge technique for separating (NM), *Boyle, Wilson, and Moore,* 191
—; ingested fat, fatty acid composition, effect, *Bragdon and Karmen,* 400
Locust: Fat-body; fatty acid synthesis, *Tietz,* 182
Lysolecithin: Occurrence in rat plasma, *Newman, Liu, and Zilversmit,* 403

M

Mevalonate: Analogues; cholesterol biosynthesis, effect, *Weiss, Schiffmann, and Titus,* 258
Cholesterol biosynthesis; time course study *in vivo, Elwood and Van Bruggen,* 344
Mitochondria: Brain and liver; fatty acid composition, effect of alterations of dietary fatty acids, *Witting, Harvey, Century, and Horwitt,* 412
Monoglyceride(s): Method for analysis, *Privett and Blank,* 37
Muscle: Skeletal; oxidation, incorporation of palmitate-1-C^{14}, fatty acid concentration, epinephrine, glucose, effects, *Eaton and Steinberg,* 376

N

Nitrogen: Lipid, content of dog tissues, *McKibbin, Meltzer, and Spiro,* 328

O

Oxidation: Aerobic; unsaturated fatty acids and esters; cobalt stearate-catalyzed oxidation of linoleic acid, *Heaton and Uri,* 152

P-R

Palmitate: Metabolism in functionally hepatectomized rats, *Borgström and Olivecrona,* 263
Palmitate-1-C^{14}: Oxidation and incorporation into neutral lipids by skeletal muscle *in vitro;* effect of concentration, epinephrine, glucose, *Eaton and Steinberg,* 376
Phosphatide(s): Rat heart, *in vivo* effect of digitoxin, *Marinetti, Temple, and Stolz,* 188
Phosphatidyl choline: Influence of estradiol on synthesis in rats, *Bowser, Henderson, and Zimmerman,* 278
Phospholipid(s): Separation from rat plasma, *Newman, Liu, and Zilversmit,* 403
Pseudomonas aeruginosa uptake of amino acids, *Silberman and Gaby,* 172
Mono- and dimethylethanolamine containing; from *Neurospora crassa, Hall and Nyc,* 321
Phosphomevalonic kinase: Liver, cholesterol biosynthesis, *Hellig and Popják,* 235
Plasmalogen(s): Aldehydes from bovine lipids, composition, *Schogt, Begemann, and Recourt,* 142
Potassium: *In vitro* stimulation of lipogenesis and carbohydrate metabolism in liver, *Minard and Davis,* 369
Prenoic acid(s): Origin from allyl pyrophosphates in liver enzyme systems, *Christophe and Popják,* 244
Propionic acid: Precursor in biosynthesis of animal fatty acids, *Masoro and Porter,* 177
Protein(s): Lipid-free from canine serum high density lipoprotein, recombination with lipids, *Scanu and Page,* 161
Protoporphyrin: Stain for cholesterol on electrophoretic strips (NM), *Searcy, Bergquist, Gough, and Korotzer,* 193

S

Scintillation counting: Collection of $C^{14}O_2$ in Warburg flask (NM), *Snyder and Godfrey,* 195
Spectrophotometry: Infrared; detection of epoxy acids, *Morris and Holman,* 77
Sphingolipids: Cerebrosides conversion to ceramides and sphingosine; structure of Gaucher cerebroside, *Carter, Rothfus, and Gigg,* 228
Human brain; chromatography, *Schwarz, Dreisbach, Barrionuevo, Kleschick, and Kostyk,* 208
Sphingosine: Cerebrosides conversion; structure of Gaucher cerebroside, *Carter, Rothfus, and Gigg,* 228
Stearate-1-C^{14}: Metabolism in isolated perfused cow's udder, *Lauryssens, Verbeke, and Peeters,* 383
Sulfolipids: (Rev), *Goldberg,* 103

T

Thyroid hormone: Effect on lipolytic action of epinephrine, *Debons and Schwartz,* 86
Triglyceride(s): Chylomicrons; transport and metabolism, role of liver and extrahepatic tissues in dog, *Havel and Goldfien,* 389
Liver; direct determination (NM), *Butler, Maling, Horning, and Brodie,* 95
Method for analysis, *Privett and Blank,* 37
Serum; determination by fluorimetric micro glycerol method, *Mendelsohn and Antonis,* 45

U

Udder: Isolated perfused cow's; metabolism of stearate-1-C^{14}, *Lauryssens, Verbeke, and Peeters,* 383
Ultracentrifugation: Preparative technique for separating human serum lipoproteins (NM), *Boyle, Wilson, and Moore,* 191
Separation of dog serum lipoproteins, *Sakagami and Zilversmit,* 271

V

Vitamin C: Plasma free fatty acids in deficient guinea pigs, *Mueller and Cardon,* 83

W-Z

Wheat flour: Lipids; isolation, characterization of glycolipids, other plant sources, *Carter, Ohno, Nojima, Tipton, and Stanacev,* 215
—; mono- and digalactosylglycerol lipids, structure, *Carter, Hendry, and Stanacev,* 223

Unsaturated Fatty Acids to Be Distributed by National Institutes of Health Lipid Program

A co-operative program sponsored by the Division of Research Grants and the National Heart Institute, National Institutes of Health, will soon distribute ampoules containing 100 mg of each of 8 unsaturated fatty acid methyl esters. Available in 99% purity will be esters of docosa-13-enoate (erucate), eicosa-11-enoate, octa-12-enoate, and octa-11-enoate; samples of 95% or greater purity will include eicosa-5,8,11,14,17-pentaenoate, docosa-4,7,10,13,16,19-hexaenoate, tetracosa-15-enoate (nervonate), and octadeca-6-enoate (petroselenate).

Qualified investigators desiring sets of these samples should describe briefly the research program for which they are to be used. The Committee advising this activity will attempt to fill all deserving requests, although aiming also to assure broad distribution to areas where they may be needed. Letters should be addressed in duplicate to Dr. William H. Goldwater, Division of Research Grants, National Institutes of Health, Bethesda 14, Maryland.

J. Lipid Research, October, 1961
Volume 2, Number 4

New Methods Index

Vol. 2, Nos. 1–4

Compiled by H. A. I. Newman and John W. Farquhar

The numbers in this Index refer to entry numbers in the New Methods listings.
They are found on the following pages of Volume 2:

Nos. 1–115, pp. 97–102
Nos. 116–225, pp. 196–201
Nos. 226–363, pp. 286–292
Nos. 364–423, pp. 421–423

BILE ACIDS: 62, 397
CHROMATOGRAPHY: 221, 222, 223, 363
ENZYMES:
- **Esterases:** 112
- **Lipases:** 95, 114, 187, 220
- **Phospholipases:** 362, 423
- **Coenzymes:** 113

FAT SOLUBLE VITAMINS AND DERIVATIVES:
- **Tocopherols:** 421
- **Vitamin A and carotenoids:** 107, 108, 197, 209, 210, 211, 212, 354, 355, 356
- **Vitamin D:** 420
- **Vitamin K:** 109

FATTY ACID: 72, 73, 77, 79, 82, 84, 85, 86, 90, 172, 173, 175, 176, 178, 184, 185, 309, 310, 313, 315, 316, 317, 319, 320, 322, 323, 329, 331, 401, 402, 406
- **Branched chain:** 88, 89, 91
- **Esters:** 71, 83, 93, 177, 179, 305, 307, 312, 405
- **Free:** 75, 76, 174, 311, 328
- **Hydroxy:** 182, 306, 318
- **Saturated:** 321
- **Steam-volatile:** 94, 183
- **Unsaturated:** 81, 171, 182, 314, 321, 326, 327, 400, 403, 404
- **Epoxy:** 180, 181

FATTY ALCOHOLS: 74, 80, 87, 324, 325
FATTY ALDEHYDES: 308, 318, 330
FATTY AMINES: 78, 85, 332
FATTY KETONES: 308, 318
GAS-LIQUID CHROMATOGRAPHY: 16, 58, 85, 117, 239, 242, 313, 364, 365, 368
- **Applications:**
  - **Physical chemistry:** 238, 249
  - **Preparative:** 120
  - **Qualitative analysis or identification:** 7, 10, 12, 15, 19, 20, 21, 133, 137, 142, 232, 243, 244, 247
  - **Quantitative analysis:** 3, 10, 12, 13, 129, 136, 231, 240, 248, 254
  - **Radioassay:** 6, 229, 236
- **Methods:**
  - **Capillary technique:** 127, 144, 243, 251
  - **Column:** 120, 127, 144, 145, 226, 243, 251
  - **Detection:** 2, 12, 13, 122, 126, 127, 129, 131, 132, 133, 134, 135, 139, 146, 227, 228, 229, 233, 237, 250, 251
  - **Loading:** 138, 143, 230
  - **Measurement:** 116, 122, 235, 248, 367
  - **Moving phase:** 119
  - **Preparation of suitable solute derivatives:** 130, 141, 142, 143, 245
  - **Solid support:** 5, 234
  - **Solvent:** 4, 15, 20, 118, 119, 128, 136, 246
  - **Temperature:** 9, 11, 18, 119, 121, 123, 126, 128, 139, 140, 144
- **Review:**
  - **Methods:** 146
- **Solute class:**
  - **Alcohols:** 15
  - **Aldehydes and close derivatives:** 10
  - **Alteration of structure during chromatography:** 1, 14
  - **Fatty acids and close derivatives:** 3, 12, 15, 21, 92, 118, 137, 142, 231, 234, 239, 240, 241, 242, 243, 244
  - **Other:** 4, 133, 241, 252, 255
  - **Steroids and sterols:** 19, 20, 232, 247, 253, 255
  - **Terpenes:** 17
- **Theory:**
  - **Detection:** 122, 129, 131, 135
  - **Measurement:** 122
  - **Separation:** 8, 124, 125, 238

GLYCERIDES: 95, 96, 186, 187, 188, 189, 296, 333, 334, 335, 336, 337, 338, 339, 407, 408, 409, 410, 411, 412, 413, 414
GLYCOLIPIDS: 104, 202, 206, 207, 351, 416, 417
LIPIDS: 22, 23, 24, 25, 27, 28, 29, 33, 34, 35, 36, 37, 77, 147, 148, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 369, 370, 371, 372, 373, 374, 375, 376, 377
LIPOPROTEINS: 110, 111, 213, 214, 215, 216, 217, 218, 219, 301, 357, 358, 359, 360, 361, 422
PHOSPHOLIPIDS: 97, 98, 99, 103, 193, 195, 196, 197, 200, 201, 203, 205, 343, 348, 349, 416
- **Choline containing:** 340, 341
  - **Lecithin:** 194, 347
  - **Malignolipin:** 26, 30, 31, 32, 350
  - **Sphingomyelin:** 101, 202
- **Hydrolysis products analysis:** 191, 192, 199, 202, 340, 341, 344, 366
- **Noncholine containing:** 102, 191, 199, 346
- **Phosphorus determination:** 100, 190, 198, 204, 342, 345, 415
- **Plasmalogens:** 192

STEROIDS: 38, 40, 46, 48, 50, 51, 57, 58, 60, 149, 153, 157, 158, 163, 267, 270, 274, 276, 278, 279, 280, 285, 286, 287, 291, 368, 378, 379, 381, 386, 393
- **Adrenal:** 55, 56, 59, 61, 154, 162, 165, 268, 269, 271, 275, 288, 290, 380, 382, 383, 388, 396
- **Androgenic:** 47, 155, 161, 272, 385, 389
- **Estrogenic:** 39, 42, 43, 45, 53, 63, 150, 151, 152, 156, 160, 164, 266, 277, 282, 283, 284, 385, 387, 390, 394, 395
- **Progestational:** 41, 45, 49, 159, 289, 391, 392
- **Urinary:** 43, 44, 52, 54, 152, 156, 159, 273, 281, 288, 364, 382, 384, 394

STEROL ESTERS: 69, 296, 302
STEROLS: 45, 63, 64, 65, 66, 67, 68, 69, 70, 166, 167, 168, 169, 170, 292, 293, 294, 295, 297, 298, 299, 300, 301, 302, 303, 304, 398, 399
TERPENES: 105, 106, 208, 352, 353, 365, 418, 419
WAXES: 34, 115, 224, 225